© Copyright 2005. IPC	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
	IPC Web Site for Information on IPC-1752 Standard Form Ty http://www.ipc.org/IPC-175x Distribut				*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials ar					and Mfg Information			
Supplier Information														
bompany name* Company unique ID			que ID	Unique			ique ID Authority				Response Date*			
semi										20	2023-06-08			
Contact Name	Title - Contact					Phone - Contact*				E	Email - Contact*			
roduct-Env-Stewards Product Enviro Compliance			ro Compliance		NA			P	Product-Env-Stewards@onsemi.com					
Authorized Representative* Title - Representative			sentative	1		Phone - Representative*			E	Email - Representative*				
Product-Env-Stewards Product Enviro Cor			o Compliance			NA				Р	Product-Env-Stewards@onsemi.com			
Requester Item Number	aester Item Number Mfr Item N		Number Mfr Item Name			Effective Date	Version	N	Manufacturing Site		Weight*	UOM	Unit Type	
	FAN486	AN4860UC5X 3MHZ DC/DC Bo		oost 300mA		2023-06-08		I	PBB		1.893499	5 mg	Each	
Aanufacturing Proccess Informati	on													
Terminal Plating / Grid Array Mate	erial Terminal Base Alloy J-			J-STD-020 MSI	Rating	Peak Process Body Temperature Max T		e Max Time	e at Peak Te	mperature Nu	mber of Reflow	Cycles		
SnAgCu CU Alloy			1		260		С	30		seconds 3				
omments														
vel 1 - maximum time at peak temperatur	e during sol	dering is 10-3	0 seconds											
or more information regarding material co	mposition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	1.16284	mg	Supplier	Silicon (Si)	7440-21-3		1.1603	mg	
			Supplier	Aluminum (Al)	7429-90-5		0.0025	mg	
Solder Ball	0.730196	mg	Supplier	Silver (Ag)	7440-22-4		0.0292	mg	
			Supplier	Tin (Sn)	7440-31-5		0.6973	mg	
			Supplier	Copper (Cu)	7440-50-8		0.0037	mg	
Under Bump Metal	4.6355E-4	mg	Supplier	Titanium (Ti)	7440-32-6		0	mg	
			Supplier	Copper (Cu)	7440-50-8		0.0005	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signar range of distribution unless otherwise noted)