ABGOLATION CONNECTING ELECTRONICS (NOUSTRIES +) MAterial Composition Dec © Copyright 2005. IPC, Bannockt international and Pan-American co	ourn. Illinois. All rights reserved u	Inder both This do	cument is a declara	tion of the substance encompasses all lo	es within the manufactur wer level materials for wl	er listed item. Note: hich the manufacture	if the item is an a er has engineering	ssembly with lower responsibility.		
1752-21.1 IPC Web Site for Information on I http://www.ipc.org/IPC-175x	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information						
Supplier Information										
Company name*	any name* Company unique ID		Unique ID Authority			Response Date*				
onsemi							2023-06-08			
Contact Name	Title - Contact		Phone - Contact*			Email - Contact*				
Product-Env-Stewards	Product Enviro Compliance		NA			Product-Env-Stewards@onsemi.com				
Authorized Representative*	rized Representative* Title - Representative		Phone - Representative*			Email - Representative*				
Product-Env-Stewards Product Enviro Compliance		ce N		NA		Product-Env-Stewards@onsemi.com				
Requester Item Number Mfr Item	n Number Mfr Item Name	Mfr Item Name		e Version	Manufacturing Site	Weight*	UOM	Unit Type		
NCP160	BFCT300T2G CSP LDO 250m	A, Non-Active Discharge	2023-06-08		CNQ	0.313731	mg	Each		
Manufacturing Proccess Information										
Terminal Plating / Grid Array Material T	Terminal Base Alloy J-STD-020 M		Peak Pro	Peak Process Body Temperature Max Time at Pea		k Temperature Number of Reflow Cycles				
Matte Tin (Sn) - annealed CU Alloy 1		1	260	С	30	seconds 3				
Comments										
level 1 - maximum time at peak temperature during so	ldering is 10-30 seconds									
For more information regarding material composition	please refer to page 3									

RoHS Material Composition Declaration				Declaration Type *	Detailed				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DIBP).								
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of				
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted				
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all				
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.									
Supplier Digital Signature Ra	stislav Drska	Le							

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

	cable [E] enter the weight			ance category (JIG or Requester) or ( [F] Optionally enter the positive (+)				
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Bump	0.0438	mg	Supplier	Tin (Sn)	7440-31-5		0.0108	mg
			Supplier	Copper (Cu)	7440-50-8		0.033	mg
Die	0.24779	mg	Supplier	Silicon (Si)	7440-21-3		0.2464	mg
			Supplier	Aluminum (Al)	7429-90-5		0.0014	mg
Protection coat	0.00637	mg		Polyimide	proprietary data		0.0064	mg
Under Bump Metal	0.015771	mg	Supplier	Titanium (Ti)	7440-32-6		0.0003	mg
		-	Supplier	Copper (Cu)	7440-50-8		0.0155	mg